

Class 11
Informatics Practices
Practical

Contents

Q.1 Write a program for calculate three numbers.	2
Q2. Write a program to check greater number.	2
Q.3 Write a program to list of five element print it than access third element.	2
Q.4 Write a program for print no 1 to 1000 with help of any loop (for /while)	3
Q.5 Write a program for calculate simple interest.	3
Program : [6] Create Database.....	5
Program : [7] Open database.....	5
Program : [8] To create a student table with the student id, class, section, gender, name, dob, and marks as attributes where the student id is the primary key.....	5
Program : [9] View the structure of the table.....	6
Program : [10] To insert the details of at least 10 students in the above table.	7
Program : [11] To delete the details of a particular student in the above table.	7
Program : [12] To increase marks by 5% for those students who have studentid more than 1105.	8
Program : [13] To display the content of the table of female students.	8
Program : [14] To display studentid, Name and Marks of those students who are scoring marks more than 50.	8
Program : [15] To display the information of all the students, whose name starts with 'sh'	9

Q.1 Write a program for calculate three numbers.

Ans.

```
a=int(input('Enter first number '))  
b=int(input('Enter second number '))  
c=int(input('Enter third number '))  
cal=a+b+c  
print('The calculation is ',cal)
```

output

```
=====  
Enter first number 10  
Enter second number 20  
Enter third number 40  
The calculation is 70  
>
```

Q2. Write a program to check greater number.

ans.

```
if a>b:  
    print('A is greater')  
    print('Value of A is : ',a)  
else:  
    print('B is greater')  
    print('Value of A is : ',b)
```

Output:-

```
Enter first number 10  
Enter second number 50  
B is greater  
Value of A is : 50
```

Q.3 Write a program to list of five element print it than access third element.

Ans.

```
r=[1,2,'abhi','Three',11]  
print(r)
```

```
print('The third element is',r[2])
```

output

```
[1, 2, 'abhi', 'Three', 11]
The third element is abhi
```

Q.4 Write a program for print no 1 to 1000 with help of any loop (for /while)

Ans.

```
for i in range(1,1001):
```

```
    print(i,end=' ')
```

output

```
45 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 17
4 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203
204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 2
33 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 26
2 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291
292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 3
21 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 35
0 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379
380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 4
09 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 43
8 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467
468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 4
97 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 52
6 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555
556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 5
85 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 61
4 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643
644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 6
73 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 70
2 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731
732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 7
61 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 79
0 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819
820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 8
49 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 87
8 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907
908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 9
37 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 96
6 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995
996 997 998 999 1000
```

Q.5 Write a program for calculate simple interest.

Ans.

```
p=int(input('Enter Principle amount '))
```

```
r=int(input('Enter Rate of interest '))
```

```
t=int(input('Enter Time '))
```

```
si=(p*r*t)/100
```

```
print('The interest is',si)
```

```
print('principle amount and simple interest is',p+si)
```

output

```

Enter Principle amount 1000
Enter Rate of interest 5
Enter Time 2
The interest is 100.0
principle amount and simple interest is 1100.0
    
```

Program : [6] Create Database

```
create database class11;
```

```
mysql> create database class11;  
Query OK, 1 row affected (0.02 sec)  
  
mysql>
```

Program : [7] Open database

```
use class11;
```

```
mysql> use class11;  
Database changed
```

Program : [8] To create a student table with the student id, class, section, gender, name, dob, and marks as attributes where the student id is the primary key.

```
create table student
```

```
(studentid int(4) primary key,
```

```
class char(2),
```

```
section char(1),
```

```
gender char(1),
```

```
name varchar(20),
```

```
dob date,
```

```
marks decimal(5,2));
```

```
mysql> create table student
-> (studentid int(4) primary key,
-> class char(2),
-> section char(1),
-> gender char(1),
-> name varchar(20),
-> dob date,
-> marks decimal(5,2));
Query OK, 0 rows affected, 1 warning (0.02 sec)
```

Program : [9] View the structure of the table

desc student; OR

describe student

```
mysql> desc student;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| studentid  | int           | NO   | PRI | NULL    |       |
| class      | char(2)       | YES  |     | NULL    |       |
| section     | char(1)       | YES  |     | NULL    |       |
| gender     | char(1)       | YES  |     | NULL    |       |
| name       | varchar(20)   | YES  |     | NULL    |       |
| dob        | date          | YES  |     | NULL    |       |
| marks      | decimal(5,2) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.02 sec)

mysql> describe student;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| studentid  | int           | NO   | PRI | NULL    |       |
| class      | char(2)       | YES  |     | NULL    |       |
| section     | char(1)       | YES  |     | NULL    |       |
| gender     | char(1)       | YES  |     | NULL    |       |
| name       | varchar(20)   | YES  |     | NULL    |       |
| dob        | date          | YES  |     | NULL    |       |
| marks      | decimal(5,2) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)
```

Program : [10] To insert the details of at least 10 students in the above table.

insert into student values

```
(1101,'XI','A','M','Aksh','2005/12/23',88.21),  
(1102,'XI','B','F','Moksha','2005/03/24',77.90),  
(1103,'XI','A','F','Archi','2006/04/21',76.20),  
(1104,'XI','B','M','Bhavin','2005/09/15',68.23),  
(1105,'XI','C','M','Kevin','2005/08/23',66.33),  
(1106,'XI','C','F','Naadiya','2005/10/27',62.33),  
(1107,'XI','D','M','Krish','2005/01/23',84.33),  
(1108,'XI','D','M','Ayush','2005/04/23',55.33),  
(1109,'XI','C','F','Shruti','2005/06/01',74.33),  
(1110,'XI','D','F','Shivi','2005/10/19',72.30);
```

```
mysql> insert into student values  
-> (1101,'XI','A','M','Aksh','2005/12/23',88.21),  
-> (1102,'XI','B','F','Moksha','2005/03/24',77.90),  
-> (1103,'XI','A','F','Archi','2006/04/21',76.20),  
-> (1104,'XI','B','M','Bhavin','2005/09/15',68.23),  
-> (1105,'XI','C','M','Kevin','2005/08/23',66.33),  
-> (1106,'XI','C','F','Naadiya','2005/10/27',62.33),  
-> (1107,'XI','D','M','Krish','2005/01/23',84.33),  
-> (1108,'XI','D','M','Ayush','2005/04/23',55.33),  
-> (1109,'XI','C','F','Shruti','2005/06/01',74.33),  
-> (1110,'XI','D','F','Shivi','2005/10/19',72.30);  
Query OK, 10 rows affected (0.03 sec)  
Records: 10 Duplicates: 0 Warnings: 0
```

Program : [11] To delete the details of a particular student in the above table.

Delete record of students who secured less than 65 marks.

```
delete from student where marks <65;
```

```
mysql> delete from student where marks < 65;
Query OK, 2 rows affected (0.03 sec)

mysql> select * from student;
+-----+-----+-----+-----+-----+-----+-----+
| studentid | class | section | gender | name   | dob       | marks |
+-----+-----+-----+-----+-----+-----+-----+
| 1101 | XI    | A       | M      | Aksh  | 2005-12-23 | 88.21 |
| 1102 | XI    | B       | F      | Moksha | 2005-03-24 | 77.90 |
| 1103 | XI    | A       | F      | Archi  | 2006-04-21 | 76.20 |
| 1104 | XI    | B       | M      | Bhavin | 2005-09-15 | 68.23 |
| 1105 | XI    | C       | M      | Kevin  | 2005-08-23 | 66.33 |
| 1107 | XI    | D       | M      | Krish  | 2005-01-23 | 84.33 |
| 1109 | XI    | C       | F      | Shruti | 2005-06-01 | 74.33 |
| 1110 | XI    | D       | F      | Shivi  | 2005-10-19 | 72.30 |
+-----+-----+-----+-----+-----+-----+-----+
8 rows in set (0.01 sec)
```

Program : [12] To increase marks by 5% for those students who have studentid more than 1105.

```
update student set marks=marks+(marks*0.05) where studentid>1105;
```

```
mysql> update student set marks=marks+(marks*0.05) where studentid>1105;
Query OK, 3 rows affected, 3 warnings (0.01 sec)
Rows matched: 3 Changed: 3 Warnings: 3
```

Program : [13] To display the content of the table of female students.

```
select * from student where gender = 'f';
```

```
mysql> select * from student where gender = 'f';
+-----+-----+-----+-----+-----+-----+-----+
| studentid | class | section | gender | name   | dob       | marks |
+-----+-----+-----+-----+-----+-----+-----+
| 1102 | XI    | B       | F      | Moksha | 2005-03-24 | 77.90 |
| 1103 | XI    | A       | F      | Archi  | 2006-04-21 | 76.20 |
| 1109 | XI    | C       | F      | Shruti | 2005-06-01 | 78.05 |
| 1110 | XI    | D       | F      | Shivi  | 2005-10-19 | 75.92 |
+-----+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)
```

Program : [14] To display studentid, Name and Marks of those students who are scoring marks more than 50.

```
select studentid,name,marks from student where marks>50;
```



```
mysql> select studentid,name,marks from student where marks>50;
+-----+-----+-----+
| studentid | name   | marks |
+-----+-----+-----+
| 1101      | Aksh  | 88.21 |
| 1102      | Moksha| 77.90 |
| 1103      | Archi | 76.20 |
| 1104      | Bhavin| 68.23 |
| 1105      | Kevin | 66.33 |
| 1107      | Krish | 88.55 |
| 1109      | Shruti| 78.05 |
| 1110      | Shivi | 75.92 |
+-----+-----+-----+
8 rows in set (0.00 sec)
```

Program : [15] To display the information of all the students, whose name starts with 'sh'

```
select * from student where name like 'sh%';
```

```
mysql> select * from student where name like 'Sh%';
+-----+-----+-----+-----+-----+-----+-----+-----+
| studentid | class | section | gender | name   | dob       | marks | email   |
+-----+-----+-----+-----+-----+-----+-----+-----+
| 1109      | XI    | C       | F      | Shruti | 2005-06-01 | 78.05 | a@a.com |
| 1110      | XI    | D       | F      | Shivi  | 2005-10-19 | 75.92 | a@a.com |
+-----+-----+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```